

Husqvarna FS 500 E



7.5
kW

OUTPUT
POWER (AS
RATED BY
THE
ENGINE/MO
TOR
MANUFACU
RER)

500
mm

BLADE
DIAMETER,
MAX

190
mm

CUTTING
DEPTH, MAX

FLOOR SAW FS 500 E 7.5 kW | 500mm | 400V | 3ph | CE
Art nr: 967 96 36-01

Our CE-Eurotest certified FS 500 E is a versatile electric small push floor saw. The powerful IE3 certified 7,5 kW motor with optimised weight and balance ensures ergonomic working position and productivity as well as zero CO₂ emissions during use. The built in water tank with optimised water flow helps to cut without external water supply. Suitable for small sized service and repair jobs for a majority of floor sawing applications up to 187 mm cutting.

ALL SPECIFICATIONS
FS 500 E

FS 500 E 7.5 KW | 500MM | 400V | 3PH | CE
967 96 36-01

ENGINE

Output power (As rated by the engine/motor manufacturer) 7.5 kW

Engine cooling Air

Frequency 50 Hz

Rated current 14 A

ALL SPECIFICATIONS

FS 500 E

FS 500 E 7.5 KW | 500MM | 400V | 3PH | CE

967 96 36-01

Voltage 400 V

Phases 3 ph

Power source Corded

CUTTING EQUIPMENT

Cutting depth, max 190 mm

Blade diameter, max 500 mm

Arbor diameter 25.4 mm

Blade depth control Indicator and mechanical stop

DIMENSIONS

Product size length 1,180 mm

Product size width 560 mm

Product size height 1,000 mm

Weight 145 kg

DIAMOND TOOLS

GOLD

POWER CUTTER BLADES

ELITE-CUT S35 EXO-GRIT™

6 variants



Diameter mm

300 / 350 / 400 mm

Segment height mm

15 mm

Arbor diameter

20 mm / 25.4/20 mm

GOLD

POWER CUTTER BLADES

ELITE-CUT S45 EXO-GRIT™

4 variants



Diameter mm

300 / 350 / 400 mm

Segment height mm

15 mm

Arbor diameter

20 mm / 25.4/20 mm

GOLD

POWER CUTTER BLADES

ELITE-CUT S65 EXO-GRIT™

5 variants



Diameter mm

300 / 350 / 400 mm

Segment height mm

15 mm

Arbor diameter

20 mm / 25.4/20 mm

GOLD

POWER CUTTER BLADES

ELITE-CUT S85

3 variants



Diameter mm

300 / 350 / 400 mm

Segment height mm

12 mm

Arbor diameter

25.4/20 mm