

SAFETY DATA SHEET

TAK MAT

Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name TAK MAT
Product number D3301, D3302, D3303, D3304, D3305

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses IMPREGNATED COTTON FLOOR MAT

1.3. Details of the supplier of the safety data sheet

Supplier ORAPI APPLIED LIMITED,
SPRING ROAD,
SMETHWICK,
WEST MIDLANDS, B66 1PT, ENGLAND
Tel: 0121-525-4000
Fax: 0121-525-4919
lee.baughan@orapiapplied.com

Contact person Lee Baughan

1.4. Emergency telephone number

Emergency telephone 0121 525 4000 (09:00 - 17:00 hrs)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified
Health hazards Not Classified
Environmental hazards Not Classified

Human health The product contains a sensitising substance which may provoke an allergic reaction among sensitive individuals.

2.2. Label elements

Hazard statements EUH208 Contains 1,2-BENZISOTHIAZOL-3(2H)-ONE. May produce an allergic reaction.

2.3. Other hazards

This substance is not classified as PBT or vPvB according to current EU criteria.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

TAK MAT

Hydrocarbons, C9, aromatics	1-3%
CAS number: 64742-95-6	EC number: 918-668-5
	REACH registration number: 01-2119455851-35-XXXX
Classification	
Flam. Liq. 3 - H226	
STOT SE 3 - H335, H336	
Asp. Tox. 1 - H304	
Aquatic Chronic 2 - H411	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Composition comments The material consists of a cotton fabric impregnated with a non-drying resin. The details of the non-drying resin are given above.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Not relevant.
Ingestion	Not relevant.
Skin contact	Rinse with water.
Eye contact	Rinse immediately with plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	No specific symptoms known.
Ingestion	No specific symptoms known.
Skin contact	No specific symptoms known.
Eye contact	No specific symptoms known.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	No specific recommendations.
-----------------------------	------------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards	The product is not flammable.
Hazardous combustion products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Oxides of carbon.

5.3. Advice for firefighters

Protective actions during firefighting	No specific firefighting precautions known.
---	---

Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
--	---

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

TAK MAT

Personal precautions Avoid heat, flames and other sources of ignition.

6.2. Environmental precautions

Environmental precautions Not considered to be a significant hazard due to the small quantities used.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up No specific clean-up procedure recommended.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions No specific recommendations.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place.

Storage class Unspecified storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

1,2,3-PROPANE TRIOL

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ mist

MONOPROPYLENE DIGLYCOL

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ particulate

Long-term exposure limit (8-hour TWA): WEL 150 ppm 474 mg/m³ total vapour and particulates

WEL = Workplace Exposure Limit

1,2,3-PROPANE TRIOL (CAS: 56-81-5)

DNEL Workers - Inhalation; Long term local effects: 56 mg/m³
General population - Inhalation; Long term local effects: 33 mg/m³

PNEC

- Fresh water; 0.885 mg/l
- Intermittent release; 8.85 mg/l
- Marine water; 0.0885 mg/l
- STP; 1000 mg/l
- Sediment (Freshwater); 3.3 mg/kg
- Sediment (Marinewater); 0.33 mg/kg
- Soil; 0.141 mg/kg

1,2-BENZISOTHIAZOL-3(2H)-ONE (CAS: 2634-33-5)

DNEL Workers - Inhalation; Long term systemic effects: 6.81 mg/m³
Workers - Dermal; Long term systemic effects: 0.966 mg/kg/day
General population - Inhalation; Long term systemic effects: 1.2 mg/m³
General population - Dermal; Long term systemic effects: 0.345 mg/kg/day

TAK MAT

PNEC	<ul style="list-style-type: none"> - Fresh water; 11 µg/l - Fresh water, Intermittent release; 0.403 µg/l - Marine water; 1.1 µg/l - Marine water, Intermittent release; 0.0403 µg/l - STP; 1.03 mg/l - Sediment (Freshwater); 49.9 µg/kg - Sediment (Marinewater); 4.99 µg/kg - Soil; 3 mg/kg
-------------	--

MONOPROPYLENE DIGLYCOL (CAS: 57-55-6)

DNEL	<p>Workers - Inhalation; Long term systemic effects: 168 mg/m³</p> <p>Workers - Inhalation; Long term local effects: 10 mg/m³</p> <p>General population - Inhalation; Long term systemic effects: 50 mg/m³</p> <p>General population - Inhalation; Long term local effects: 10 mg/m³</p>
PNEC	<ul style="list-style-type: none"> - Fresh water; 260 mg/l - Intermittent release, Fresh water; 183 mg/l - Marine water; 26 mg/l - STP; 20000 mg/l - Sediment (Freshwater); 572 mg/kg - Sediment (Marinewater); 57.2 mg/kg - Soil; 50 mg/kg

8.2. Exposure controls

Appropriate engineering controls	No specific ventilation requirements.
Eye/face protection	Not relevant.
Hand protection	Hand protection not required.
Hygiene measures	Wash at the end of each work shift and before eating, smoking and using the toilet.
Respiratory protection	Respiratory protection not required.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance	Impregnated tacky cotton floor mat.
Colour	Greenish.
Odour	No characteristic odour.

9.2. Other information

Other information	None.
--------------------------	-------

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	There are no known reactivity hazards associated with this product.
-------------------	---

10.2. Chemical stability

Stability	No particular stability concerns.
------------------	-----------------------------------

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Under normal conditions of storage and use, no hazardous reactions will occur.
---	--

TAK MAT

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition products Does not decompose when used and stored as recommended. Heating may generate the following products: Oxides of carbon.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects No information available.

Inhalation No specific health hazards known.

Ingestion May cause stomach pain or vomiting. May cause discomfort if swallowed.

Skin contact Skin irritation should not occur when used as recommended. May cause sensitisation or allergic reactions in sensitive individuals.

Eye contact May cause temporary eye irritation.

SECTION 12: Ecological Information

Ecotoxicity Not regarded as dangerous for the environment.

12.1. Toxicity

Toxicity Not considered toxic to fish.

12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

12.4. Mobility in soil

Mobility The product is insoluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods No specific disposal method required.

SECTION 14: Transport information

TAK MAT

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Control of Substances Hazardous to Health Regulations 2002 (as amended).
The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

Guidance Workplace Exposure Limits EH40.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

TAK MAT

Abbreviations and acronyms used in the safety data sheet	ATE: Acute Toxicity Estimate. ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways. CAS: Chemical Abstracts Service. DNEL: Derived No Effect Level. GHS: Globally Harmonized System. IATA: International Air Transport Association. ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air. IMDG: International Maritime Dangerous Goods. LC ₅₀ : Lethal Concentration to 50 % of a test population. LD ₅₀ : Lethal Dose to 50% of a test population (Median Lethal Dose). PBT: Persistent, Bioaccumulative and Toxic substance. PNEC: Predicted No Effect Concentration. REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006. RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail. SVHC: Substances of Very High Concern. vPvB: Very Persistent and Very Bioaccumulative. cATpE: Converted Acute Toxicity Point Estimate. EC ₅₀ : 50% of maximal Effective Concentration. UN: United Nations. IBC: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk (International Bulk Chemical Code).
---	--

Revision date	17/05/2018
Revision	8
Supersedes date	16/06/2017
SDS status	Approved.
Hazard statements in full	H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects. EUH208 Contains 1,2-BENZISOTHIAZOL-3(2H)-ONE. May produce an allergic reaction.
Signature	Health and Safety Manager

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.